


Foxhunter Drive, Linford Wood, Milton Keynes, MK14 6GD

+44(0)1908 698810 sales@unitronix.co.uk

www.unitronix.co.uk





## **RUGGED M122S-03 SERVER**

### Military-Grade 1U Short-Depth Server

The M122S-03 is a rugged 1U server built with aircraft-grade aluminum and an ultra-sturdy all-aluminum chassis, designed for short-depth, mission-critical applications. Tested to meet MIL-STD 810 and 461 standards, it offers military-grade durability for the toughest environments.

Supporting the latest Intel® Xeon® processors, the M122S-03 delivers powerful compute performance in a rugged 1U form factor. Its application-specific design offers a full-height PCIe slot for expansion, flexible AC or DC power options, and a short 22-inch depth for easy integration. Built to withstand tough environments, the M122S-03 is ideal for tactical, mobile, and rugged enterprise deployments where reliability and compact design are critical.

- Application-specific design
- Tested to meet military standards
- Built in the USA

# **Featured Specifications**

#### CPU

Latest Intel Xeon Scalable Processor

#### **GPU**

Latest NVIDIA GPU Graphics Card

### **RAM**

Up to 2TB

### **Power**

Power options available

#### **Chassis Type**

Aircraft-Grade Aluminum









## **Technical Specifications**

Dimensions

Height: 1.75 inches, Width: 17.75 inches, Depth: 22.00 inches

Weight: 15-21 lbs

**CPU**Latest Intel Xeon Scalable Processor

GPU

Latest NVIDIA GPU Graphics Card

RAM

Up to 2TB

**Expansion Slots** 

Qty: 1, full height

**External Bays** 

Qty: 4

**USB Ports** 

Qty: 6

**PCIE Expansion** 

Multiple slot combinations available

Power Supply

28VDC, 600W AC

**System Board** 

Extended ATX Motherboard

Storage SSD

Up to 15.36TB NVMe

Chassis

Lightweight aluminum chassis

## **Enviromental Specifications**

**Operational Temperature** 

MIL-STD-810F, Method 501.5, Procedures I/II: -15°C to +55°C

Storage Temperature

MIL-STD-810F, Method 501.5, Procedures I/II: -15°C to +55°C

Humidity

MIL-STD-810F, Method 507.4: 95% RH, 48 hours at 40 – 65°C

Altitude

MIL-STD-810F, Method 500.4: 12,500 ft operation; 40,000 ft transport

Vibration

MIL-STD-810G, Method 514.6: 4.43 GRMS, 5-20000Hz, 60 min/axis

Shock

MIL-STD-810G, Method 516.6: 20g, 11ms functional; 40g, 11ms crash hazard

**EMC** 

MIL-STD-461F: CE & RE emissions

# **Work With Core Systems Today**

Core Systems designs and builds rugged servers, displays, mission computers, and integrated cabinet solutions for military and industrial applications. From our 85,000 sq. ft. San Diego facility, we deliver cutting-edge, durable computing solutions for mission-critical needs.

Core Systems 13000 Danielson St Poway, CA 92064



